

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5778387").PN.	USPAT; USOCR	OR	OFF	2008/01/14 18:53
S2	7	((("20030212784") or ("20030097554") or ("20030046606") or ("20020194380") or ("5734895") or ("5594863") or ("5446884")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/13 21:03
S3	31497	recover\$3 near data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:33
S4	2337	recover\$3 near data and (data with delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:37
S5	367	recover\$3 near data same (data with delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:37
S6	2	recover\$3 near data same (data with delet\$3) and display with original with (file or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:39
S7	19	recover\$3 near data and (data with delet\$3) and display with original with (file or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:39
S9	5	((("5778387") or ("20030012183") or ("3653028") or ("20050120242") or ("6539392")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/14 10:49
S10	1	("20050075748").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/14 10:49

S11	99	"command line interface" and (sav\$3 with data with (memor\$3 or storage\$1)) and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:46
S12	1	"command line interface" and (sav\$3 with data with (memor\$3 or storage\$1)) and recover\$3 with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 16:49
S13	1	"command line interface" and (sav\$3 with data with (memor\$3 or storage\$1)) and (recover\$3 with delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 18:55
S14	3	"command line interface" and (sav\$3 with data with (memor\$3 or storage\$1)) and (recover\$3 same delet \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 18:55
S15	5	(file\$1 near recover\$3) with linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:22
S16	918	"command line interface" and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:46
S17	35	"command line interface" and (recover\$3 with delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 10:47
S18	149	"gps" with user\$1 with histor \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 16:50
S19	28	"gps" with user\$1 with histor \$3 and (disabl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 16:54

S20	1	("5470233").FN.	USPAT; USOCR	OR	OFF	2008/01/15 16:54
S21	1	("5675802").FN.	USPAT; USOCR	OR	OFF	2008/04/10 08:39
S22	4527	command near line near interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 21:20
S23	476	command near line near interface and recover\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 21:21
S24	142	command near line near interface and delet\$3 with data and recover\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 21:21
S25	90	command near line near interface and sav\$3 with data and delet\$3 with data and recover\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 21:21
S26	11	command near line near interface and sav\$3 with data and delet\$3 with data and recover\$3 with data and linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 21:27
S27	102	((command near line near interface) or "CLI") and sav \$3 with data and delet\$3 with data and recover\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 21:49
S28	1249	("command line interface" or cli) with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:16
S29	89	("command line interface" or cli) with display\$3 and delet \$3 and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:16

S30	35	("command line interface" or cli) with display\$3 and delet\$3 with data and recover\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:17
S31	105	("command line interface" or cli) with display\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:22
S32	78	("command line interface" or cli) with display\$3 with data and ((sav\$3 or stor\$3) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:25
S33	33	("command line interface" or cli) with display\$3 with data and ((sav\$3 or stor\$3) with data) and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:26
S34	5	("command line interface" or cli) with display\$3 with data and ((sav\$3 or stor\$3) with data) and delet\$3 with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:27
S35	2	("command line interface" or cli) with display\$3 with data and ((sav\$3 or stor\$3) with data) and delet\$3 with command and recover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:28
S36	2	("command line interface" or cli) with display\$3 with data and ((sav\$3 or stor\$3) with data) and delet\$3 with command and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:28
S37	0	"two pahse file deletion"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 12:41
S38	1	("7340487").PN	USPAT; USOCR	OR	OFF	2008/07/01 12:42

S39	13005	("command line interface" or cli) and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 13:26
S40	299	("command line interface" or cli) and automatic\$4 with recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 13:26
S41	24	("command line interface" or cli) and automatic\$4 with recover\$3 and delet\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 13:27
S42	220505	("command line interface" or cli)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 14:07
S43	66	("command line interface" or cli) and file with recover\$3 and unix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 14:08
S44	130	("command line interface" or cli) with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 14:18
S45	702	("command line interface" or cli or (command with interface)) with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 14:37
S46	72	("command line interface" or cli or (command with interface)) with display\$3 with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 14:51
S47	818	("command line interface" or cli) and recover\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 15:43

S48	63	("command line interface" or cli) and recover\$3 with data and delet\$3 with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 15:43
S49	8186	automatic with recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 04:45
S50	399	delet\$3 with data and automatic with recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 04:46
S51	9	delet\$3 with data and automatic with recovery and ("command line interface" or cli or (command near line near interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 04:46
S52	110	automatic with recovery and ("command line interface" or cli or (command near line near interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 04:50
S53	44	automatic with recovery and ("command line interface" or cli or (command near line near interface)) and data with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 04:50
S54	12	automatic with recovery and ("command line interface" or cli or (command near line near interface)) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 04:50
S55	1772	inadvertently and ("command line interface" or cli or (command near line near interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:17
S56	20	inadvertently with delet\$3 and ("command line interface" or cli or (command near line near interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:17

S57	132	("command line interface" or cli or (command near line near interface)) with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:20
S58	47	("command line interface" or cli or (command near line near interface)) with delet\$3 and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:20
S59	8	("command line interface" or cli or (command near line near interface)) with delet\$3 and recover\$3 with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:21
S60	1	("20030012183").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/03 05:30
S61	1	("6539392").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/03 05:31
S62	22	recover\$3 near data and (data with delet\$3) and display with original with (file or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:33
S63	0	(2004/0199609).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/03 05:50
S64	1	("20040199609").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/03 05:50
S65	8	("command line interface" or cli or (command near line near interface)) with delet\$3 with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:54
S66	42	("command line interface" or cli or (command near line near interface)) with delet\$3 and recovery\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:57
S67	10	("command line interface" or cli or (command near line near interface)) with delet\$3 and recovery\$3 and linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 05:57

S68	813	"command line interface" same (os or (operat\$3 near system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 17:44
S69	2	"command line interface" same (os or (operat\$3 near system)) and delet\$ with data with "command line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 17:45
S70	7	"command line interface" same (os or (operat\$3 near system)) and delet\$ with data same "command line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 17:46
S71	109	"command line interface" same (os or (operat\$3 near system)) and delet\$ with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 17:48
S72	49	"command line interface" same (os or (operat\$3 near system)) and delet\$ with data and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 17:49
S73	4	"command line interface" same (os or (operat\$3 near system)) and delet\$ with data and recover\$3 with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 18:07
S74	91	"command line interface" with (os or (operat\$3 near system)) and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/26 17:04
S75	7	"command line interface" with (os or (operat\$3 near system)) and recover\$3 and delet\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/26 17:06
S76	221529	("command line interface" or cli or (command near line near interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:11



S77	1838	("command line interface" or cli or (command near line near interface)) and (unix or linus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:11
S78	2	("command line interface" or cli or (command near line near interface)) and (unix or linux) and delet\$3 with data with ("command line interface" or cli or (command near line near interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:13
S79	1	("command line interface" or cli or (command near line near interface)) and recovery with linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:22
S80	6	("command line interface" or cli or (command near line near interface)) and recovery same linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:23
S81	34	delet\$ with data with (command near line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:26
S82	5	delet\$ with data with (command near line) and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:27
S83	2	"command lines interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:39
S84	4897	"command line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:39
S85	0	"command line interface" with delet3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:39

S86	0	"command line interface" same delet3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:39
S87	0	"command line interface" and delet3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:40
S88	4897	"command line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:40
S89	884	"command line interface" and recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:40
S90	1148	"command line interface" and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:40
S91	717	"command line interface" and recover\$3 and delet3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:40
S92	8	"command line interface" with delet\$3 and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 22:41
S93	2551	data with command with line with interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:09
S94	650	data with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:09

S95	9	delet\$3 with data with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:09
S96	68	display\$3 with (data or file \$1) with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:19
S97	4	display\$3 with (data or file \$1) with (command near line near interface) and delet\$3 with (data or file\$1) with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:19
S99	14	(command near line near interface) with (os or (operat \$3 near system)) and display \$3 with (data or file\$1) with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:30
S100	1	(command near line near interface) with (os or (operat \$3 near system)) and delet \$3 with (data or file\$1) with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:44
S101	12	delet\$3 with (data or file\$1) with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 23:44
S102	372	(command near line near interface) with (os or (operat \$3 near system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:15
S103	14	(command near line near interface) with (os or (operat \$3 near system)) and display \$3 with (data or file\$1) with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:16
S104	372	(command near line near interface) with (os or (operat \$3 near system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:21

S105	285	(command near line near interface) with (os or (operat \$3 near system)) and display \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:21
S106	155	(command near line near interface) with (os or (operat \$3 near system)) and display \$3 and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:22
S107	54	(command near line near interface) with (os or (operat \$3 near system)) and display \$3 and delet\$3 and recover \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:22
S108	170	(command near line near interface) with (os or (operat \$3 near system)) and delet \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:42
S109	5	(command near line near interface) with (os or (operat \$3 near system)) and delet \$3 with ((command near line near interface) or cli)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 12:42
S110	140	delet\$3 with ((command near line near interface) or cli)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 13:26
S111	326	delet\$3 with ((command near line near interface) or cli or (command near line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 13:34
S112	17	delet\$3 with ((command near line near interface) or cli or (command near line)) and recover\$3 with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 13:35
S113	89	delet\$3 with ((command near line near interface) or cli or (command near line)) and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 13:41

S114	0	("20060161752").PN.	USPAT; USOCR	OR	OFF	2009/01/04 13:46
S115	1	("20060161752").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/04 13:46
S116	0	delet\$3 with from with command with line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 13:57
S117	541	delet\$3 with command with line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 13:57
S118	1	("20040163090").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/04 14:21
S119	14	(command near line near interface) with (os or (operat \$3 near system)) and display \$3 with (data or file\$1) with (command near line near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/04 14:23
S120	16	command near line near interface and sav\$3 with data and delet\$3 with data and recover\$3 with data and linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 20:54
S121	1	("20040163090").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/16 14:01
S122	1	("20050022213").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/16 14:13
S123	1	("6018342").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/19 12:34
S124	25355	(command\$1 near line\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:41
S125	1335	(command\$1 near line\$1) and telnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:41

S126	50	(command\$1 near line\$1) and telnet and (msdos or ms \$dos)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:41
S127	28	(command\$1 near line\$1) and telnet and (msdos or ms \$dos) and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:46
S128	271	(command\$1 near line\$1) with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:51
S129	17	(command\$1 near line\$1) with delet\$3 and recover\$3 with (command\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:51
S130	92	recover\$3 with (command\$1 near line\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:58
S131	28	recover\$3 with data with (command\$1 near line\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 12:58
S132	1	("6018342").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/19 13:31
S133	1	("7139783").PN.	USPAT; USOCR	OR	OFF	2009/06/19 17:40
S134	1	("7464110").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/18 15:30
S135	4	("command line interface" or (command near line near interface) or cli) and (recycl \$3 with data) and (user with rule\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 11:19
S136	0	("command line interface" or (command near line near interface) or cli) and (recycl \$3 with data) and (user with rule\$1) and (@ad<"20040123")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 11:55

S137	11	(mukker near atul)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 12:01
S138	7	(mukker near atul) and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 12:01
S139	2	(mukker near atul) and linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 12:02
S140	12290	((707/640-660,661-673,674- 686) or (707/999.202- 999.204) or (711/161-162)). OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/15 12:17
S141	347	S140 and (("command line interface" or (command near line near interface) or cli) and recover\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 12:18
S142	1	S140 and (("command line interface" or (command near line near interface) or cli) and recover\$3 and recycl\$4 with rule\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 12:19
S143	51	S140 and (("command line interface" or (command near line near interface) or cli) and recover\$3 and recycl\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 12:19
S144	7	S140 and (("command line interface" or (command near line near interface) or cli) and recover\$3 and recycl\$4 and user\$1 with rule\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 12:19
S145	59	(delet\$3 with data and automatic with recovery) and linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 12:24

S146	8	(delet\$3 with data and automatic with recovery and recycl\$4) and linux	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 12:24
S147	0	(delet\$3 with data and automatic with recovery and recycl\$4) and linux and @ad< "20040123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 12:24
S148	16	(delet\$3 with data and automatic with recovery) and linux and @ad< "20040123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 12:25
S160	1	"command line interface" and (sav\$3 with data with (memor\$3 or storage\$1)) and (recover\$3 same delet\$3) and @ad< "20040123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 14:47
S161	17	"command line interface" and (recover\$3 with delet\$3) and @ad< "20040123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 16:29
S162	11	("command line interface" or cli) with display\$3 with data and ((sav\$3 or stor\$3) with data) and delet\$3 and @ad< "20040123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 16:30

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S149	0	((("command line interface" or (command near line near interface) or cli) and (recycl\$3 with data) and (user with rule\$1)) .clm.	USPAT; UPAD	OR	OFF	2010/11/15 11:58
S150	405	((("command line interface" or (command near line near interface) or cli)) .clm.	USPAT; UPAD	OR	OFF	2010/11/15 11:58
S151	8	((("command line interface" or (command near line near interface) or cli) and recover\$3) .clm.	USPAT; UPAD	OR	OFF	2010/11/15 11:58
S152	1	(mukker near atul)	USPAT; UPAD	OR	OFF	2010/11/15 12:00



S153	11	(mukker near atul)	US-PGPUB; USPAT; UPAD	OR	OFF	2010/11/15 12:00
S154	1	(mukker near atul) and (("command line interface" or (command near line near interface) or cli) and recover\$3)	US-PGPUB; USPAT; UPAD	OR	OFF	2010/11/15 12:00
S155	1	(mukker near atul) and (("command line interface" or (command near line near interface) or cli))	US-PGPUB; USPAT; UPAD	OR	OFF	2010/11/15 12:01
S156	12502	((707/640-660,661- 673,674-686) or (707/999.202-999.204) or (711/161-162)).CQLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/11/15 12:21
S157	7	S156 and (("command line interface" or (command near line near interface) or cli) and recover\$3 and recycl\$4 and user\$1 with rule\$1)	US-PGPUB; USPAT; UPAD	OR	ON	2010/11/15 12:21
S158	0	(delet\$3 with data and automatic with recovery and ("command line interface" or cli or (command near line near interface))).dm.	USPAT; UPAD	OR	OFF	2010/11/15 12:22
S159	3	(delet\$3 with data and automatic with recovery). dm.	USPAT; UPAD	OR	OFF	2010/11/15 12:23

11/16/2010 5:43:49 PM

C:\Documents and Settings\usaeed\My Documents\EAST\Workspaces\10764205.wsp